



Operation Manual

HOLO Clipper/Fastner Joint Machine



Manufacture: WENZHOU HOLO INDUSTRIAL EQP MFG CO.,LTD

Factory add: RM201,BLDG3,NO188 WANGXIN ROAD,DONGSHAN STR.RUIAN ZHEJIANG,CHINA

TEL: +86 577 65682000


FAX: +86 577 65916651

Web: www.holobelt.com

HOLO® CLIPPER/FASTNER JOINT MACHINE

WENZHOU HOLO INDUSTRIAL EQP MFG CO.,LTD

HOLO Clipper/Fastner Joint Machine





Model	350	600	900	1200	1500
N. W (KG)	13	17	22	27	39
G. W (KG)	19	23	31	39	55
Dimension (mm)	630*347*370	930*347*370	1230*347*370	1530*347*370	1830*347*370

Clipper/Fastner Mould Type



Wire Buckle		Spike Fastener	
Model	Thickness Range	Model	Thickness Range
1#	3.2-4.0mm	0#	1.0-1.5mm
2-3#	4.0-5.6mm	1#	1.2-2.5mm
4-7#	5.5-10mm	7#	2.5-3.5mm
25. 25. 36#	1.2-3.2mm	15#	3.0-4.5mm



HOLO® CLIPPER/FASTNER JOINT MACHINE
WENZHOU HOLO INDUSTRIAL EQP MFG CO.,LTD



Put Buckle in the mould



Use the wire lock the buckle



Put the belt in and fix



HOLO® CLIPPER/FASTNER JOINT MACHINE



WENZHOU HOLO INDUSTRIAL EQP MFG CO.,LTD



Use the handle to fix the belt



Use the Rotating handle to do buckle,
Do it again and aign til completed.



Finished the work,release the fix handle and
check the quality.

SAFETY CONSIDERATIONS

This application procedure is not intended to supersede any company construction or safety standards. This procedure is offered only to illustrate safe application for the individual. FAILURE TO FOLLOW THESE PROCEDURES MAY RESULT IN PERSONAL INJURY OR DEATH.

Do not modify this product under any circumstances.

This product is intended for use by trained technicians only. This product should not be used by anyone who is not familiar with, and not trained to use it.

When working in the area of energized lines, extra care should be taken to prevent accidental electrical contact.

For proper performance and personal safety, be sure to select the proper size PREFORMED product before application.

PREFORMED products are precision devices. To insure proper performance, they should be stored in cartons under cover and handled carefully.



HOLO CLIPPER/FASTNER JOINT MACHINE

HOLO



Factory scene

© WENZHOU HOLO INDUSTRIAL EQP MFG CO.,LTD

Room 201, Building 3, NO.188 Wangxin Road Dongshan Street RUIAN Wenzhou

ZHEJIANG, China

Web: <http://www.holobelt.com>

Tel:(86)0577 65682000 Fax:(86)0577 65916651